

The Moorings 5800 C

STANDARD BOAT EQUIPMENT LIST - MOORINGS UPGRADES ON FINAL PAGE*

SALOON

Laminate finishes with solid wood trims Highland Ash 046SU
Saloon table - convertible to smaller table
12-seat settee with stowage under cushions
Wear resistant flooring
Quick LED overhead lighting
Light & ventilation through windows & portlights in overhead gallery
2 x *Vetus Magnus 5151* escape Hatches under stairways to hulls
Stowage lockers behind settee
Stowage lockers under floorboards
Wine Rack

GALLEY

Corian galley worktop surfaces
Large Double sink (stainless steel)
Single lever mixer faucet
Dish and cutlery drying recess with drainage
Cover for drying recess
Vitrifrigo DW360BT front-opening fridge / 2-drawer freezer
Fridge - 157 L / 5.55 cu ft; Freezer - 144 L / 5 cu ft
Cooktop 4-burner / separate oven & broiler
Gas solenoid shut-off valve with control at switch panel & warning light at cooker
Gas cylinder regulator in dedicated cockpit LPG locker
Separate garbage bin locker with side access
Stowage space in shelf & drawer lockers
Bar counter with *Corian* surface
Overhead lockers for crockery stowage
Drinks cabinet

SWITCH PANEL CONSOLE

Switch panels housed behind tinted hinged doors
Side board locker for linen/crockery/cutlery stowage

GUEST CABINS x 3 (HULLS)

Laminate finishes with solid wood trims Highland Ash 046SU
Double berths: Port Aft (converts from two (2) twins to a Queen with inset)
 Forward Berth (58 in x 80 in) (1.48 m x 2.05 m)
 Aft Berth (60 in x 80 in) (1.52 m x 2.05 m)
Under-bunk lockers
Hanging locker
Storage locker with shelving
Quick LED overhead lighting
Quick LED reading lamps
Overhead roller blinds for privacy
Large open shelves
Drawers under bunk
Large hull window incorporating portlight and pleated blind

GUEST CABIN x 2 (BRIDGEDECK)

Double sliding door opens cabin to saloon area
Laminate finishes with solid wood trims Highland Ash 046SU
Double berth (60 in x 80 in) (1.52 m x 2.05 m) convertible to day bed (52 in x 80 in) (1.32 m x 2.05 m)
Bedside shelf (outboard)
Hanging locker
Storage locker with shelving
Quick LED overhead lighting
Quick LED reading lamps
Overhead roller blinds for privacy
Large side and forward facing windows with pleated blinds
 portlight in forward facing window
Doorway access to forward cockpit

SKIPPER CABIN (STBD AFT HULL)

Laminate finishes with solid wood trims Highland Ash 046SU
Double berth: Aft Berth (60 in x 80 in) (1.52 m x 2.05 m)
Quick LED overhead lighting
Quick LED reading lamps
Outboard and inboard bedside shelf
Hanging locker
Drawers under bunks
Large hull window incorporating portlight and pleated blind

HEAD COMPARTMENTS (6) Sliding door access

Washbasin with *Corian* counter surface
Single lever mixer
Separate shower compartment with lever mixer and adjustable shower rose
Shower sump with push-button drainage
Vanity locker with shelving
Frensch LED overhead lighting
PAR Brydon large bowl manual toilet*
Towel hook, rail and ring
Large vanity mirror
Overhead roller blinds
Hull/deck window with waterproof curtain and opening port

ENGINE & CONTROLS

Morse KE-4 double lever electronic throttle / gearshift control
Sound deadening panels in engine room
2 x *Plastimo* engine room ventilation fans and ducting
2 x *Yanmar* 4JH4 TCE 75 hp diesel engines*
2 x SD50 sail drives with 3-blade fixed propellers
2 x Fuel deck fillers
2 x *Racor* fuel filter / water separators
2 x Fuel tanks (aluminium) Total capacity 238 gal / 900 L
2 x Exhaust skin fittings (stainless steel)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system:
4 x Water tanks. Total capacity 412 gal / 1,560 L
1 x *Jabsco Par Max4* 4.3 GPM fresh water pressure pump with 1 L *Jabsco* accumulator tank
2 x Hot water tanks. Total capacity 22 USgal / 84 L
Transom shower hot & cold
6 x Shower drain pumps with filters
3 x Holding tanks. Total capacity 67 gal / 255 L
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps with strum boxes (keel sump)
2 x High water bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) alarm at switch panel

RUDDER & STEERING SYSTEM

2 x Balanced spade rudders
2 x *JP3* 59 mm rudder stock (stainless steel)
2 x *JP3* Self aligning bearings
Lecombe & Schmitt hydraulic steering system
Destroyer-type steering wheel (stainless steel)
Emergency tiller (stainless steel)

The Moorings 5800 C

STANDARD BOAT EQUIPMENT LIST (Rev 7)

ELECTRICAL INSTALLATION

- Quick LED Courtesy lights at stairways
- Aquasignal Bi-colour & stern navlights
- 12v DC switch panel
- 220v or 110v Shore Power Pack includes:
 - 1 x 50 ft 50 amp shorepower cable,
 - AC outlets in cabins, galley, saloon & panel
- 1 x Victron Quattro 12/5000/200 Inverter/charger
- 2 x 12v outlet sockets at panel and helmstation
- 2 x Fuel tank gauges at helmstation
- 2 x Amp meters at helmstation
- 4 x House batteries - 180 aH lead acid type*
- 2 x Engine start batteries -100 aH lead acid type*
- 1 x House battery isolator switch
- 2 x Engine starter battery isolator switches
- 2 x Alternators, standard with engines
- 1 x Electrical spares kit: fuses, relays, fuse holders

NAVIGATION EQUIPMENT

- Plastimo Offshore 75 compass at helm position

DECK FITTINGS

- Tek-Dek FLEXI TEEK Bleached on fwd and aft cockpit and flybridge
- Guardwires with stanchions, bases, port & stb gates
- Guardwires across stern
- Quick Dave 1700w vertical windlass 10 mm gypsy with hand-held remote
- Chain locker
- Anchor bow roller fitting
- Anchor chain stopper
- 2 x Liferaft locker
- 5 x Cockpit lockers
- Sliding companionway door - 2 leaf
- Quick LED lighting over forward and aft cockpit
- Quick LED lighting over flybridge area
- Swimming ladder - folding with teak steps
- Flybridge with U-shaped seating area with fore/aft-facing convertible backrests
- Flybridge recliner with stowage under
- Flybridge coffee/cocktail table
- Flybridge guardrails (stainless steel)
- Flybridge bimini hardtop with window
- Flybridge bimini arch support (stainless steel)
- Flybridge bimini forward supports (stainless steel)
- Trampoline (white Aquabatten Supertramp)
- Lifering holder
- Acrylic smoke-grey tinted windows
- Forward hardtop supports (stainless steel)
- Flybridge supports (stainless steel)
- Side window brows
- Hatches - Bomar:
 - 6 x Size 10 Flush Hatch over heads
 - 6 x Size 44 Flush Hatch over cabins
 - 2 x Size 70 Flush Hatch over forepeaks
 - 2 x Custom Flush Hatch in saloon windscreen

DECK FITTINGS (continued)

- Portlights - Bomar:
 - 12 x Size 1 in hull side and coachroof
- 1 x Anchor/windlass locker
- 2 x Foredeck lockers
- Fwd lounging cockpit with hardtop, 2 x watertight cabin door with sliding hatch in hardtop to ease access to foredeck
- 2 x Pulpits with seat
- 2 x Pushpits
- 6 x Coachroof handrails (stainless steel)
- 7 x 330 mm mooring cleats
- 1 x Lewmar 65AEST (alloy) electric main halyard winch
- 2 x Lewmar 65AST (alloy) halyard / sheet winch
- Self-tacking jib system
- Bridle mainsheet system
- 1 x Lewmar jib car
- 1 x Lewmar jib track
- 1 x Winch handle pocket at helm
- 2 x Spinlock XCS0814/1 halyard clutch (main & gennaker)
- 2 x Spinlock XCS0814/1 mainsheet clutch
- 1 x Spinlock XCS0814/1 jibsheet clutch
- 2 x Spinlock XCS0814/2 reefing/luff line clutch
- 1x Spinlock XAS0612/1 furler line clutch
- 1 x Rack on mast for jib halyard
- 4 x Padeyes to allow for gennaker tackle blocks
- Deck line leads provided for gennaker sheet
- Drinking can holders
- Sheet & halyard bags

RUNNING RIGGING

- 2 x Main sheets (bridle system)
- 1 x Jib sheet
- 3 x Halyards (main, jib & spare)
- 2 x Reefs lead aft with luff lines for each
- 1 x Main boom topping lift
- 1 x Roller furler line

MAST, RIGGING & SAILS

- Sparcraft natural anodized mast
- Sparcraft natural anodised "hayrack" boom
- Sparcraft natural anodized crossbeam
 - with mooring cleats, secondary bow roller, kayak roller
- Windex wind indicator
- Profurl C530 jib furler
- Mainsail full battened with 2 rows reefs (Ulmer)
- Antal mainsail batten car sliding system
- 100% Furling jib
- 2 x Additional 12v wires in mast
- Additional spare conduit with messenger in mast

GENERAL EQUIPMENT

- 6 x Fire extinguishers
- Owner's Operating Manual
- CE Certification
- NMMA Certification

EXTRA CHARTER YACHT EQUIPMENT LIST

ELECTRICAL INSTALLATION

Raymarine Instrument Package: Includes Ray 55 VHF radio at Nav Station and second VHF at helm. P70 Color Autopilot e125 Hybridtouch, Chartplotter with WiFiST60 Wind & ST60 Tridata Speed Log and Depth with retract speed and depth transducers 110v or 220v hard wired shore power, includes 1 heavy duty 50 ft 50 amp shore power line, AC switch panel, AC double outlets in cabin, galley and at switch panel

Microwave Oven in Galley
Electric Grill on Flybridge
Battery Charger 40 amp Quick 12/40
AGM upgrade to House and Engine start from Lead Acid
One additional AGM House Battery (210 aH)
Ventilation fans in Saloon (2) and one in each stateroom (8) total
Northern Lights 20 kw Genset
AIR/CON - Webasto Chilled Water System 72,000 BTU - 7 controllers
46" Flat Screen TV/DVD in Saloon Dual 110v/220v combo
Solar Panels (4) 70w each fitted to hard top
4 x Lumishore Underwater Lights (blue) mounted in stern
Bose 5.1 Home Entertainment System in saloon, iPod docking station Bluetooth, USB, & AUX connectivity, Bose Marine Speakers (8) to Saloon (2) Aft Cockpit (2) Fwd Cockpit (2) & Flybridge (2). Wired remote volume control at each location. Raymarine MDFs not included
Blue Ray Player in Saloon
Apple TV & Router in Saloon
Vertfrigo C90IX 12v Fridge in Flybridge Wetbar
Drawer Freezer in Port Companionway

ENGINE & CONTROLS

2 x Yanmar 000BY-100 hp V-Drive Engines in lieu Yanmar 4JH4 TCE 75 hp SD engines

COMMISSIONING

Transport, Documentation and Commissioning Package
Transport to CT Harbor, launching and stepping of mast
Installation of sails and rigging, commissioning of equipment and sea trials
Antifouling Paint
CE Certification

DELIVERY

Delivery from Cape Town to Charter Port

SAFETY GEAR

88 lbs (20 kg) Delta Anchor with 165 ft (50 m) of chain
44 lbs (15 kg) Britney Anchor with 26 ft (8 m) of chain & 200 ft (61 m) warp
Anchor Bridle, shackles and hook
Fenders (8)
Mooring lines (4) 18 mm x 15 m
Spring Lines (2) 18 mm x 20 m
Life Jackets for fourteen (14)
Safety Harnesses
Bell, Flare Kit, Binoculars
Navigation tools: Parallel Rule, Compass, Dividers
Liferafts VIKING one Six (6) person & one Eight (8) person
Other Equipment to comply with BVI Registration

DECK FITTINGS

Flybridge Enclosure Front and Sides only with Aft Sunshade Curta Cockpit Sides and Back Shade Curtain
Custom Hydraulic Dinghy Swim Platform
Coachroof side windows removable shade covers
Teak table and chairs for aft cockpit dining for ten (10) guests

CRUISING GEAR

Plates, cups, saucers, glasses for fourteen (14)
Wine, cocktail glasses for fourteen (14)
Specialty Appliances: Blender, Food processor
Bed Linens for fourteen (14)
Flatware for fourteen (14)
Pots, pans, miscellaneous food prep
Cooking and serving utensils
Coffee Pot, Tea Kettle, Toaster
Snorkeling Gear for fourteen (14)
Towels and washcloths for fourteen (14)
1 x 14 ft AB RIB with 25 hp Outboard
1 x Two person Ocean Kayak
2 x Two SUP (stand up paddleboard)
Water Skis & Fishing tackle

PLUMBING INSTALLATION

Electric Flusing Toilets (6) in lieu of Standard
Stern Shower: Hot and Cold in lieu of standard
Dishwasher in Galley
Sea Recovery Watermaker 38 gal / 142 L per hour

INTERIOR

Interior blinds in Saloon and Galley and in Maindeck cabins
PORT Forepeak berth with head, shower and basin, light and fan (Access only from deck hatch)
STB Forepeak berth with light, fan with access from deck hatch

GENERAL SPECIFICATIONS

Length Overall: 17.56 m / 57 ft 7 in
Waterline Length: 16.50 m / 54 ft 2 in
Mast Height: 27.50 m / 90 ft
Beam: 8.45 m / 27 ft 9 in
Draft: 1.72 m / 5 ft 7 in
Displacement: 28,500 kg / 63,000 lbs
Fuel Capacity: 900 L / 238 gal
Water Capacity: 1,560 L / 412 gal
Sail Area: 187 sq m / 2,010 sq ft
Engines: 2 x 100 hp

